

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 4/15/2015 Revision date: 1/9/2026 Supersedes: 10/27/2025 Version: 1.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Quik-Thane Water-Based Urethane Sealer & Finish  
Product code : 155-9329

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Floor seal products

#### 1.4. Supplier's details

American Cleaning Solutions  
39-30 Review Avenue  
Long Island City, NY, 11101  
T (718) 392-8080

#### 1.5. Emergency phone number

Emergency number : INFOTRAC: 800-535-5053

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. Label elements

##### GHS US labeling

No labeling applicable

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

#### 2.5. Unknown acute toxicity

No additional information available

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Acrylic Copolymer	CAS-No.: Not Listed	30 – 50	Not classified
Water	CAS-No.: 7732-18-5	34.9581 – 35.0603	Not classified
Epolene E wax	CAS-No.: 68441-17-8	1 – 5	Not classified
Hoechst Wax PE 130	CAS-No.: 9002-88-4	1 – 5	Not classified
MP 320 maleated P.P.	CAS-No.: 25722-45-6	1 – 5	Not classified
Diethylene Glycol Monoethyl Ether	CAS-No.: 111-90-0	1 – 5	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Rinse with water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms/effects, acute and delayed

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

No additional information available

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

See Heading 8. Exposure controls and personal protection.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

#### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

**MP 320 maleated P.P. (25722-45-6)**

**USA - ACGIH® - Threshold Limit Values**

ACGIH OEL TWA	3 mg/m <sup>3</sup> (Respirable fraction)
---------------	---

#### 8.2. Appropriate engineering controls

No additional information available

#### 8.3. Individual protection measures, such as personal protective equipment

##### Personal protective equipment:

No special requirements.

##### Hand protection:

Wear chemically resistant protective gloves.

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Wear safety glasses with side shields.

### Respiratory protection:

No respiratory protection needed under normal use conditions

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	:	Liquid
Color	:	milky
Odor	:	mild
Odor threshold	:	No data available
pH	:	9
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	212 °F
Flash point	:	No data available
Flammability (solid, gas)	:	Non flammable.
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	Same as water
Relative density	:	1.02
Solubility	:	Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Explosion limits	:	No data available
Particle characteristics	:	No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions. Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Diethylene Glycol Monoethyl Ether (111-90-0)

LD50 oral	6031 mg/kg body weight (Equivalent or similar to OECD 401, Mouse, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	9143 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
ATE US (dermal)	9143 mg/kg body weight

#### Acrylic Copolymer (Not Listed)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

#### Epolene E wax (68441-17-8)

LD50 oral rat	> 6400 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)

#### Hoechst Wax PE 130 (9002-88-4)

LD50 oral rat	> 15000 mg/kg (Rat, Oral)
Skin corrosion/irritation	: Not classified pH: 9

#### Acrylic Copolymer (Not Listed)

pH	7.5 – 8.5
Serious eye damage/irritation	: Not classified pH: 9

#### Acrylic Copolymer (Not Listed)

pH	7.5 – 8.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

#### Diethylene Glycol Monoethyl Ether (111-90-0)

Viscosity, kinematic	3.858 mm <sup>2</sup> /s
----------------------	--------------------------

#### Acrylic Copolymer (Not Listed)

Viscosity, kinematic	90909.091 mm <sup>2</sup> /s
----------------------	------------------------------

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Diethylene Glycol Monoethyl Ether (111-90-0)

LC50 - Fish [1]	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)
ErC50 algae	14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

### 12.2. Persistence and degradability

#### Quik-Thane Water-Based Urethane Sealer & Finish

Persistence and degradability	Not established.
-------------------------------	------------------

#### Water (7732-18-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Diethylene Glycol Monoethyl Ether (111-90-0)

Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.2 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.85 g O <sub>2</sub> /g substance
ThOD	1.9078849 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.11 (Calculated value)

#### Acrylic Copolymer (Not Listed)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Epolene E wax (68441-17-8)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

#### MP 320 maleated P.P. (25722-45-6)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

#### Hoechst Wax PE 130 (9002-88-4)

Persistence and degradability	Biodegradability in soil: no data available.
-------------------------------	--

### 12.3. Bioaccumulative potential

#### Quik-Thane Water-Based Urethane Sealer & Finish

Bioaccumulative potential	Not established.
---------------------------	------------------

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diethylene Glycol Monoethyl Ether (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.54 (Literature, 20 °C)
Bioaccumulative potential	Not bioaccumulative.
Epolene E wax (68441-17-8)	
Bioaccumulative potential	Not bioaccumulative.
MP 320 maleated P.P. (25722-45-6)	
Bioaccumulative potential	No bioaccumulation data available.
Hoechst Wax PE 130 (9002-88-4)	
Bioaccumulative potential	No bioaccumulation data available.

### 12.4. Mobility in soil

Diethylene Glycol Monoethyl Ether (111-90-0)	
Surface tension	52 mN/m (25 °C)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No
Other information	: Avoid release to the environment.

## SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.

## SECTION 14 Transport information

### 14.1. UN number

Not regulated for transport

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	: Not regulated
Proper Shipping Name (TDG)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated

### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT)	: Not regulated
----------------------------------	-----------------

#### TDG

Transport hazard class(es) (TDG)	: Not regulated
----------------------------------	-----------------

#### IMDG

Transport hazard class(es) (IMDG)	: Not regulated
-----------------------------------	-----------------

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### IATA

Transport hazard class(es) (IATA) : Not regulated

### 14.4. Packing group

Packing group (DOT) : Not regulated  
Packing group (TDG) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

#### DOT

Not regulated

#### TDG

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

## SECTION 15 Regulatory information

### 15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Water	7732-18-5	Present	Active	
Diethylene Glycol Monoethyl Ether	111-90-0	Present	Active	
Acrylic Copolymer	Not Listed	Not present	-	
Epolene E wax	68441-17-8	Present	Active	
MP 320 maleated P.P.	25722-45-6	Present	Active	
Hoechst Wax PE 130	9002-88-4	Present	Active	

### 15.2. International regulations

#### CANADA

##### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

# Quik-Thane Water-Based Urethane Sealer & Finish

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### National regulations

No additional information available

### 15.3. State regulations

No additional information available

## SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 1/9/2026  
Issue date : 4/15/2015  
Other information : None.

### Full text of hazard classes and H-statements

H319	Causes serious eye irritation
------	-------------------------------

#### Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible  
Flammability : 0 Minimal Hazard - Materials that will not burn  
Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.  
Personal protection : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.