

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/15/2015

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Shimmer Metal Polish
Product code	: 155-3015
	stance or mixture and uses advised against
Use of the substance/mixture	: Metal cleaners (Stainless steel, chrome, aluminum)
1.3. Details of the supplier of the safety	data sheet
American Cleaning Solutions 39-30 Review Avenue Long Island City, NY 11101 T (718) 392-8080	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC: 800-535-5053
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation Eye Dam. 1 H318 - Causes serious eye dan Carc. 1A H350 - May cause cancer (Inha Full text of H-phrases: see section 16	
0.0 Label elements	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS05 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H315 - Causes skin irritation H318 - Causes serious eye damage H350 - May cause cancer (Inhalation)
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P264 - Wash hands and forearms thoroughly after handling P280 - Wear protective gloves/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention P310 - Immediately call a poison center/doctor P322+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash it before reuse P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations
2.3. Other hazards	
No additional information available	

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Silica	(CAS No) 14808-60-7	20 - 30	Carc. 1A, H350
Ammonium Hydroxide, aqueous solution, conc=25%	(CAS No) 1336-21-6	1 - 5	Skin Corr. 1B, H314 Aquatic Acute 1, H400
2-propanol	(CAS No) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
1.1. Description of first aid measures	
irst-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
irst-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label).
irst-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause cancer by inhalation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
.3. Indication of any immediate medica	I attention and special treatment needed
lo additional information available	
SECTION 5: Firefighting measures	
.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Insuitable extinguishing media	: Do not use a heavy water stream.
.2. Special hazards arising from the su	-
No additional information available	
3. Advice for firefighters	Lies water approver for for easing expected containers. Exercise equition when fighting any
irefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
.1. Personal precautions, protective eq	uipment and emergency procedures
.1.1. For non-emergency personnel	
mergency procedures	: Evacuate unnecessary personnel.
.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
5 ,1	
5.2. Environmental precautions	
, , ,	y authorities if liquid enters sewers or public waters.
5.3. Methods and material for containme	
Nethods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
.4. Reference to other sections	
See Heading 8. Exposure controls and personal	
1/15/2016	EN (English US) 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Hygiene measures	: Wash hands and forearms thoroughly after handling.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	400 ppm (2-propanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves/eye protection/face protection protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: white
Odor	: ammonia odor
Odor threshold	: No data available
рН	: 7-8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 212 - 220 °F
Flash point	: ≥ 160 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 1.2
Relative vapor density at 20 °C	: Same as water

Safety Data Sheet

Solubility	 Soluble in water. Water: Solubility in water of component(s) of the mixture : •: •:
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and	reactivity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions. No	t established.
10.3. Possibility of hazardous	s reactions
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or lo	w temperatures.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposit	ion products
Fume. Carbon monoxide. Carbon c	lioxide.
SECTION 11: Toxicologica	l information
11.1. Information on toxicolo	
Acute toxicity	: Not classified

2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (dermal)	12870.000 mg/kg body weight
ATE US (vapors)	73.000 mg/l/4h
ATE US (dust, mist)	73.000 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
	pH: 7 - 8
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 7 - 8
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Inhalation).
Silica (14808-60-7)	
IARC group	1 - Carcinogenic to humans
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
01/15/2016	EN (English LIS)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause cancer by inhalation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

2-propanol (67-63-0)	
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)

12.2. Persistence and degradability

Shimmer Metal Polish	
Persistence and degradability	Not established.
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance
ThOD	2.40 g O₂/g substance
Ammonium Hydroxide, aqueous solutio	n, conc=25% (1336-21-6)
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the components available. Ozonation in the air.
12.3. Bioaccumulative potential	
Shimmer Metal Polish	
Bioaccumulative potential	Not established.
2-propanol (67-63-0)	
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).</th> Ammonium Hydroxide, aqueous solution, corc=25% (1336-21-6) Bioaccumulative potential Bioaccumulative potential Not bioaccumulative.

Bioaccumulative potential 12.4. Mobility in soil

2-propanol (67-63-0)		
	Surface tension	0.021 N/m (25 °C)

12.5.	Other adverse effects	
12.3.	Other adverse effects	
Effect or	n the global warming	: No known ecological damage caused by this product.
O 11 · · ·		
Other inf	formation	: Avoid release to the environment.
SECTION 13: Disposal considerations		
13.1	Waste treatment methods	

13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information		
5.1. US Federal regulations		
Silica (14808-60-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2-propanol (67-63-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on United States SARA Section 313		
Ammonium Hydroxide, aqueous solution, conc=25% (1336-21-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on United States SARA Section 313		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Silica (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer)	

15.3. US State regulations

No additional information available

SECTION 16: Other information	
Revision date	: 04/15/2015
Other information	: None.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Carc. 1A	Carcinogenicity Category 1A
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H350	May cause cancer
H400	Very toxic to aquatic life

HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B
	B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product