

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/15/2015

SECTION 1: Identification			
1.1. Identification			
	Mixture		
Product name :	Orange Odor Counteractant		
Product code :	155-9285		
1.2. Relevant identified uses of the substat	nce or mixture and uses advised against		
	Deodorant		
1.3. Details of the supplier of the safety dat	a sheet		
American Cleaning Solutions 39-30 Review Avenue Long Island City, NY 11101 T (718) 392-8080			
1.4. Emergency telephone number			
Emergency number :	INFOTRAC: 800-535-5053		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixed	ure		
Classification (GHS-US)			
Not classified			
2.2. Label elements			
GHS-US labeling			
No labeling applicable			
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
2-propanol	(CAS No) 67-63-0	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Sodium Xylene Sulfonate	(CAS No) 1300-72-7	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general :	Never give anything by mouth to an unconscionadvice (show the label where possible).	ous person. If yo	u feel unwell, seek medical
First-aid measures after inhalation :	Allow victim to breathe fresh air. Allow the vict	im to rest.	
First-aid measures after skin contact :	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.		
First-aid measures after eye contact :	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.		
-	Rinse mouth. Do NOT induce vomiting. Obtain	n emergency me	dical attention.
4.2. Most important symptoms and effects	both acute and delayed		
	Not expected to present a significant hazard u		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 587 Monda	y, march 20, 2012 / Nuico and Negulationo
	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Not	ify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	nent and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and persona	al protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

```
8.1.
Control parameters
```

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	400 ppm (2-propanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves/eye protection/face protection protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. Physical state : Liquid Color : orange Odor : orange Odor threshold No data available : 6-7 pН : No data available Melting point Freezing point No data available Boiling point : 212 - 220 °F : ≥ 200 °F Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available : No data available Explosion limits Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density : 1.01 Relative vapor density at 20 °C : Same as water Solubility : Soluble in water. Water: Solubility in water of component(s) of the mixture : •: •: Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature No data available : No data available Viscosity Viscosity, kinematic . No data available : No data available Viscosity, dynamic **Other information** 9.2. No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. **Chemical stability** Stable under normal conditions. Not established. 10.3. Possibility of hazardous reactions Not established. 10.4. **Conditions to avoid** Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (dermal)	12870.000 mg/kg body weight
ATE US (vapors)	73.000 mg/l/4h
ATE US (dust, mist)	73.000 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 6 - 7
Serious eye damage/irritation	: Not classified
	pH: 6 - 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

2-propanol (67-63-0)	
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)

12.2. Persistence and degradability

Orange Odor Counteractant	
Persistence and degradability	Not established.
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.40 g O₂/g substance
Sodium Xylene Sulfonate (1300-72-7)	
Persistence and degradability	Biodegradability in water: no data available.
12.3. Bioaccumulative potential	
Orange Odor Counteractant	
Bioaccumulative potential	Not established.

Orange Odor Counteractant Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday March 26, 2

aday March 26, 2012 / Pulos and Pogulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations	
2-propanol (67-63-0)		
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Sodium Xylene Sulfonate (1300-72-7)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
12.5. Other adverse effects		
Effect on the global warming	: No known ecological damage caused by this product.	
Other information	. Avoid release to the environment	
Other information	: Avoid release to the environment.	
SECTION 13: Disposal consideration	S	
13.1. Waste treatment methods		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
2 preparel (67.62.0)		
2-propanol (67-63-0) Listed on the United States TSCA (Toxic Substa	anges Central Act) inventory	
Listed on United States SARA Section 313	ances control Act, inventory	
Sodium Xylene Sulfonate (1300-72-7)		
Listed on the United States TSCA (Toxic Substa	ances Control Act) inventory	
15.2. International regulations		
CANADA		
No additional information available		
EU-Regulations		
No additional information available		
National regulations No additional information available		
15.3. US State regulations		
No additional information available		

SECTION 16: Other information		
Revision date	: 04/15/2015	
01/15/2016	EN (English US)	5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: None.

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

HMIS	Ш	Rating
1 110110		ruung

Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product