

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/12/2015

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Citrus Zyme
Product code	: 155-9623
1.2. Relevant identified uses of the su	ibstance or mixture and uses advised against
Use of the substance/mixture	: Drain openers
1.3. Details of the supplier of the safe	ty data sheet
American Cleaning Solutions 39-30 Review Avenue Long Island City, NY 11101 T (718) 392-8080	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC: 800-535-5053
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or	rmixture
Classification (GHS-US)	
Skin Sens. 1 H317 - May cause an allergic	skin reaction
Full text of H-phrases: see section 16	
2.2 Lobel elemente	
2.2. Label elements GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS07 : Warning
Hazard statements (GHS-US)	: H317 - May cause an allergic skin reaction
Precautionary statements (GHS-US)	<ul> <li>P261 - Avoid breathing dust/mist/spray</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace</li> <li>P280 - Wear protective gloves/eye protection/face protection</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P321 - Specific treatment (see First aid measures on this label)</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse</li> <li>P501 - Dispose of contents/container in accordance with local/regional/national/international regulations</li> </ul>
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
<b>SECTION 3: Composition/informat</b>	ion on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
(+)-limonene	(CAS No) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317
butyl glycolether	(CAS No) 111-76-2	1 - 5	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:gas), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label). Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effective statements and effective sta	ffects, both acute and delayed
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.
4.3. Indication of any immediate med	ical attention and special treatment needed
No additional information available	
<b>SECTION 5: Firefighting measures</b>	5
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	Pasilites
	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. No	otify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	iment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**6.4**. **Reference to other sections** 

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust/mist/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includin	ig any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

### **SECTION 8: Exposure controls/personal protection**

8.1. **Control parameters** 

Exposure controls

0 0

butyl glycolether (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	50 ppm

	8.2. Exposure controls	
Personal protective equipment		: Avoid all unnecessary exposure.
	Hand protection	: Wear protective gloves/eye protection/face protection protective gloves.
	Eye protection	: Chemical goggles or safety glasses.
	Respiratory protection	: Wear appropriate mask.
	Other information	: Do not eat, drink or smoke during use.

SECTION O. Dh	veical and a	chomical	proportioe
SECTION 9: Phy	vsical allu u	unennual	properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Color	: light yellow
Odor	: Citrus fruits
Odor threshold	: No data available
pH	: 6-7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 310 °F
Flash point	: 212 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 1.019
Relative vapor density at 20 °C	: ≥1
Solubility	<ul> <li>Soluble in water.</li> <li>Water: Solubility in water of component(s) of the mixture :</li> <li>•: •: •: 1 g/100ml •:</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. **Other information**

### No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Stable under normal conditions. Not established.			
10.3. Possibility of hazardous reactions			
Not established.			
10.4. Conditions to avoid			
Direct sunlight. Extremely high or low temperatures.			
10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition products			
Fume. Carbon monoxide. Carbon dioxide.			
SECTION 11: Toxicological information			

Information on toxicological effects 11.1.

### Acute toxicity

: Not classified

(+)-limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
ATE US (oral)	4400.000 mg/kg body weight
butyl glycolether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450 - 486 ppm/4h 450-486,Rat
ATE US (dermal)	435.000 mg/kg body weight
ATE US (gases)	450.000 ppmV/4h
ATE US (vapors)	2.170 mg/l/4h
ATE US (dust, mist)	2.170 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 6 - 7
Serious eye damage/irritation	: Not classified
	pH: 6 - 7
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
(+)-limonene (5989-27-5)	
IARC group	3 - Not classifiable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.

### **SECTION 12: Ecological information**

12.1. **Toxicity** 

(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)	
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)	

### 12.2. Persistence and degradability

Citrus Zyme	
Persistence and degradability	Not established.
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O₂/g substance
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance
Chemical oxygen demand (COD)	2.20 g O₂/g substance
ThOD	2.305 g O₂/g substance
BOD (% of ThOD)	0.31

### 12.3. **Bioaccumulative potential**

Citrus Zyme		
Bioaccumulative potential	Not established.	
(+)-limonene (5989-27-5)		
BCF fish 1	864.8 - 1022 (BCF; Pisces)	
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ( $4 \ge Log$ Kow $\le 5$ ).	
butyl glycolether (111-76-2)		
Log Pow	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

### 12.4. Mobility in soil

(+)-limonene (5989-27-5)	
Log Koc	Koc,SRC PCKOCWIN v2.0; 1120 - 6324; QSAR
butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)

12.5. Other adverse effects

# **Citrus Zyme** Safety Data Sheet

Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consider	ations
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/regional/national/international regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informa	tion
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
TDG	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory inform	ation
15.1. US Federal regulations	
Citrus Zyme	
Not listed on the United States TSCA (To	oxic Substances Control Act) inventory
(+)-limonene (5989-27-5)	
Listed on the United States TSCA (Toxic	Substances Control Act) inventory
butyl glycolether (111-76-2)	
	Substances Control Act) inventory

CANADA

No additional information available

EU-Regulations No additional information available

# National regulations No additional information available

**15.3. US State regulations** No additional information available

SECTION 16: Other information		
Revision date	: 05/12/2015	
Other information	: None.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H226	Flammable liquid and vapor
H227	Combustible liquid
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled

HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B
	B - Safety glasses, Gloves

### SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product