

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/27/2016

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture
Product name : Rinse Away
Product code : 155B-S204

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners, carpet

cleaners, metal cleaners)

### 1.3. Details of the supplier of the safety data sheet

Simple Stone Maintenance Products P.O. Box 1943 Long Island City, NY 11101 T (888) 929-7587

### 1.4. Emergency telephone number

Emergency number : (800) 535-5053

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2A H319

Full text of H statements : see section 16

### 2.2. Label elements

### **GHS-US** labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P264 - Wash hands and forearms thoroughly after handling

P280 - Wear protective gloves/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see First aid measures on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substance

Not applicable

### 3.2. Mixture

04/27/2016 EN (English US) Page 1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Alcohol Ethoxylate	(CAS No) 68991-48-0	1 - 5	Acute Tox. 4 (Oral), H302
Disodium metasilicate	(CAS No) 6834-92-0	1 - 5	Skin Corr. 1B, H314 STOT SE 3, H335
Citric acid	(CAS No) 77-92-9	1 - 5	Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor.

Hygiene measures : Wash hands and forearms thoroughly after handling.

04/27/2016 EN (English US) 2/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces,

sparks, open flame and other ignition sources. No smoking. Keep container closed when not in

use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Disodium metasilicate (6834-92-0)

Not applicable

### Citric acid (77-92-9)

Not applicable

### Alcohol Ethoxylate (68991-48-0)

Not applicable

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/eye protection/face protection protective gloves.

Eye protection : Chemical goggles or safety glasses.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : clear
Odor : mild

Odor threshold : No data available

pH : 10.5 - 11

Melting point : No data available
Freezing point : No data available
Boiling point : 212 - 220 °F
Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available

Relative density : 1.05

Relative vapor density at 20 °C : No data available Solubility : Soluble in water.

Water: Solubility in water of component(s) of the mixture :

•: > 18 g/100ml •: 59.2 g/100ml

Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available

04/27/2016 EN (English US) 3/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, dynamic : No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

Symptoms/injuries after skin contact

Symptoms/injuries after eye contact

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Acute toxicity	: Not classified	
Disodium metasilicate (6834-92-0)		
LD50 dermal rat	> 5000 mg/kg body weight (Rat; Read-across; OECD 402: Acute Dermal Toxicity)	
Citric acid (77-92-9)		
LD50 oral rat	3000 mg/kg (Rat; Literature study)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
ATE US (oral)	3000.000 mg/kg body weight	
Alcohol Ethoxylate (68991-48-0)		
LD50 oral rat	1400 mg/kg	
LD50 dermal rat	> 5000 mg/kg	
ATE US (oral)	1400.000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 10.5 - 11	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 10.5 - 11	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	

04/27/2016 EN (English US) 4/7

: Causes skin irritation.: Causes serious eye irritation.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: Ecological information

### 12.1. Toxicity

Disodium metasilicate (6834-92-0)		
LC50 fish 1	210 mg/l (LC50; Equivalent or similar to OECD 203; 96 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value)	
Threshold limit algae 1	207 mg/l (EC50; DIN 38412-9; 72 h; Scenedesmus subspicatus; Fresh water)	
Citric acid (77-92-9)		
EC50 Daphnia 1	120 mg/l (EC50; 72 h)	
LC50 fish 2	1516 mg/l (LC50; 96 h)	
Threshold limit algae 2	640 mg/l (EC0; 168 h)	
Alcohol Ethoxylate (68991-48-0)		
LC50 fish 1	6 mg/l	
EC50 Daphnia 1	2.5 mg/l	

### 12.2. Persistence and degradability

Rinse Away		
Persistence and degradability	Not established.	
Disodium metasilicate (6834-92-0)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available. Not established.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
Citric acid (77-92-9)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	0.420 g O₂/g substance	
Chemical oxygen demand (COD)	0.728 g O₂/g substance	
ThOD	0.686 g O₂/g substance	
BOD (% of ThOD)	0.89 (20 days; Literature study)	

### 12.3. Bioaccumulative potential

Rinse Away		
Bioaccumulative potential	Not established.	
Disodium metasilicate (6834-92-0)		
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.	
Citric acid (77-92-9)		
BCF other aquatic organisms 1	3.2 (BCF; Other)	
Log Pow	-1.61 / -1.80,Experimental value; Other	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

04/27/2016 EN (English US) 5/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Not regulated for transport

#### TDG

No additional information available

#### Transport by sea

No additional information available

### Air transport

No additional information available

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

### **Rinse Away**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Disodium metasilicate (6834-92-0)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Citric acid (77-92-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### **CANADA**

No additional information available

### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

Revision date : 04/27/2016 Other information : None.

### Full text of H-phrases:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

04/27/2016 EN (English US) 6/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

04/27/2016 EN (English US) 7/7