

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/23/2025

SECTION 1 Identification		
1.1. Product identifier		
Product form Product name Product code	<ul> <li>Mixture</li> <li>Pine Q+ Disinfectant</li> <li>155-5122P</li> </ul>	
1.2. Other means of identification		
Other means of identification	: EPA Reg. No. 10324-167-32970	
1.3. Recommended use of the chemical an	d restrictions on use	
Use of the substance/mixture	: Disinfectant	
1.4. Supplier's details		
American Cleaning Solutions 39-30 Review Avenue Long Island City, NY, 11101 T (718) 392-8080		
1.5. Emergency phone number		
Emergency number	: INFOTRAC: 800-535-5053	
SECTION 2 Hazard Identification 2.1. Classification of the substance or mix	ture	
GHS US classification Serious eye damage/eye irritation, Category 2B Full text of H statements : see section 16	H320 Causes eye irritation.	
2.2. Label elements		
GHS US labeling Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	<ul> <li>Warning</li> <li>H320 - Causes eye irritation</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P337+P313 - If eye irritation persists: Get medical advice or attention.</li> </ul>	
2.3. Hazards associated with known or reasonably anticipated uses		
No additional information available		
2.4. Hazards not otherwise classified		
No additional information available		
2.5. Unknown acute toxicity		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3 Composition/information on ingredients**

### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Water	CAS-No.: 7732-18-5	96.27288175 - 98.4731635	Not classified
tetrasodium ethylene diamine tetracetate	CAS-No.: 64-02-8	0.441675 – 0.49335	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium hydroxide	CAS-No.: 1310-73-2	< 0.02024	Met. Corr. 1, H290 Skin Corr. 1, H314
trisodium nitrilotriacetate	CAS-No.: 5064-31-3	0.00464325 – 0.0051865	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351
copper, powder	CAS-No.: 7440-50-8	≤ 0.0000924	Flam. Sol. 2, H228

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures		
4.1. Description of necessary first-aid me	easures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms/effects, acute and delayed		
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
4.3. Indication of immediate medical atter	ntion and special treatment needed, if necessary	

No additional information available

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	) media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Specific hazards arising from the chemical		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6 Accidental release measures		
6.1. Personal precautions, protective equip	oment and emergency procedures	
For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	
6.2. Methods and materials for containmer	nt and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

See Heading 8, Exposure controls and personal protection

SECTION 7 Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.	
Hygiene measures	: Wash hands and forearms thoroughly after handling.	
7.2. Conditions for safe storage, including incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Direct sunlight. Keep container closed when not in use.	
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight.</li></ul>	

## SECTION 8 Exposure controls/personal protection

8.1. Control parameters	
Sodium hydroxide (1310-73-2)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL C	2 mg/m³

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

copper, powder (7440-50-8)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	0.2 mg/m³	
8.2. Appropiate engineering controls		
No additional information available		
8.3. Individual protection measures, such as p	ersonal protective equipment	
Personal protective equipment: Avoid all unnecessary exposure.		
Hand protection:		
Wear chemically resistant protective gloves.		
Eye protection:		
Chemical goggles or safety glasses		
Respiratory protection:		
Wear appropriate mask		

Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9** Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Color	: Green
Odor	: Pine odour
Odor threshold	: No data available
рН	: 10
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 212 – 220 °F
Flash point	: ≥200 °F
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: Same as water
Relative density	: 1
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Data relevant with regard to physical hazard classes (supplemental)

SECTION 10 Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions. Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
Fume. Carbon monoxide. Carbon dioxide.	

SECTION 11 Toxicological information		
11.1. Likely routes of exposure		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
tetrasodium ethylene diamine tetracetate (64-02-8)		
LD50 oral rat	1780 – 2000 mg/kg (Rat, Male / female, Experimental value, Oral)	
ATE US (oral)	1780 mg/kg body weight	
trisodium nitrilotriacetate (5064-31-3)		
LD50 oral rat	1740 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal)	
LC50 Inhalation - Rat	> 5 mg/l (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))	
ATE US (oral)	1740 mg/kg body weight	
	Not classified pH: 10	
tetrasodium ethylene diamine tetracetate (64-02-8)		
рН	11 (1 %)	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium hydroxide (1310-73-2)		
рН	14 (5 %)	
trisodium nitrilotriacetate (5064-31-3)		
рН	11 (1 %)	
Serious eye damage/irritation :	Causes eye irritation. pH: 10	
tetrasodium ethylene diamine tetracetate (64-	02-8)	
рН	11 (1 %)	
Sodium hydroxide (1310-73-2)		
рН	14 (5 %)	
trisodium nitrilotriacetate (5064-31-3)		
рН	11 (1 %)	
	Skin sensitization: Not classified. Not classified	
Carcinogenicity :	Not classified	
STOT-single exposure       :         STOT-repeated exposure       :	Not classified Not classified Not classified Not classified	
tetrasodium ethylene diamine tetracetate (64-	02-8)	
Viscosity, kinematic	Not applicable (solid)	
Sodium hydroxide (1310-73-2)		
Viscosity, kinematic	No data available in the literature	
trisodium nitrilotriacetate (5064-31-3)		
Viscosity, kinematic	Not applicable (solid)	
symptoms	Based on available data, the classification criteria are not met. Causes serious eye irritation.	

## **SECTION 12 Ecological information**

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute) Hazardous to the aquatic environment, long–term : (chronic)	Not classified
tetrasodium ethylene diamine tetracetate (64-	02-8)
LC50 - Fish [1]	121 mg/l (US EPA, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Soft water)
EC50 - Crustacea [1]	625 mg/l (DIN 38412-11, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

tetrasodium ethylene diamine tetracetate (64-02-8)		
LC50 - Fish [2]	396 mg/l	
ErC50 algae	> 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Weight of evidence, Nominal concentration)	
Sodium hydroxide (1310-73-2)		
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)	
EC50 - Crustacea [1]	40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)	
trisodium nitrilotriacetate (5064-31-3)		
LC50 - Fish [1]	114 mg/l (APHA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	98 mg/l (96 h, Gammarus sp., Flow-through system, Fresh water, Experimental value)	
ErC50 algae	> 91.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)	
copper, powder (7440-50-8)		
LC50 - Fish [1]	200 µg/l (96 h, Salmo gairdneri, Flow-through system, Fresh water, Weight of evidence, Lethal)	
EC50 - Crustacea [1]	109 – 798 μg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence, Locomotor effect)	
EC50 72h - Algae [1]	230 $\mu$ g/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Growth rate)	

### 12.2. Persistence and degradability

Pine Q+ Disinfectant		
Persistence and degradability	Not established.	
Water (7732-18-5)		
Persistence and degradability	Rapidly degradable	
tetrasodium ethylene diamine tetracetate (64-	02-8)	
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	< 0.002 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	0.54 - 0.58 g O <sub>2</sub> /g substance	
Sodium hydroxide (1310-73-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
trisodium nitrilotriacetate (5064-31-3)		
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.	
Chemical oxygen demand (COD)	0.625 g O <sub>2</sub> /g substance	
copper, powder (7440-50-8)		
Persistence and degradability	Biodegradability in soil: not applicable, Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

copper, powder (7440-50-8)	
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

## 12.3. Bioaccumulative potential

Pine Q+ Disinfectant		
Bioaccumulative potential	Not established.	
tetrasodium ethylene diamine tetracetate (64-02-8)		
BCF - Fish [1]	1.1 – 1.8 (28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	-13.17 (Estimated value, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Sodium hydroxide (1310-73-2)		
Bioaccumulative potential	Not bioaccumulative.	
trisodium nitrilotriacetate (5064-31-3)		
BCF - Fish [1]	1 – 3 (96 h, Brachydanio rerio, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	-13.2 – -2.62 (Calculated, 25 °C)	
Bioaccumulative potential	Not bioaccumulative.	
copper, powder (7440-50-8)		
Bioaccumulative potential	Bioaccumulation: not applicable.	

### 12.4. Mobility in soil

tetrasodium ethylene diamine tetracetate (64-02-8)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.495 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	
Sodium hydroxide (1310-73-2)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the substance available.	
trisodium nitrilotriacetate (5064-31-3)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.419 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
copper, powder (7440-50-8)		
Ecology - soil	Adsorbs into the soil.	
12.5. Other adverse effects		
	Not classified No	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information	: Avoid release to the environment.
SECTION 13 Disposal considerations	
Product/Packaging disposal recommendations Ecological information	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> </ul>
SECTION 14 Transport information	
14.1. UN number	
Not regulated for transport	
14.2. UN Proper Shipping Name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA) 14.5. Environmental hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
Other information	: No supplementary information available.
14.6. Transport in bulk	
Not applicable	
14.7. Special precautions for user	
DOT No data available	
<b>TDG</b> No data available	
IMDG No data available	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### ΙΑΤΑ

No data available

### SECTION 15 Regulatory information

#### **15.1. Federal regulations**

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Water	7732-18-5	Present	Active	
tetrasodium ethylene diamine tetracetate	64-02-8	Present	Active	
Sodium hydroxide	1310-73-2	Present	Active	
trisodium nitrilotriacetate	5064-31-3	Present	Active	
copper, powder	7440-50-8	Present	Active	

Sodium hydroxide (1310-73-2)	
Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	1000 lb

copper, powder (7440-50-8)	
Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	5000 lb

#### 15.2. International regulations

#### CANADA

Water (7732-18-5)
Listed on the Canadian DSL (Domestic Substances List)

copper, powder (7440-50-8)	
Listed on the Canadian DSL (Domestic Substances List)	

#### **EU-Regulations**

No additional information available

#### **National regulations**

15.3. State regulations		
Component	State or local regulations	
copper, powder(7440-50-8)	U.S New York City - Right to Know Hazardous Substances List	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 16 Other information**

according to Federal Register /	Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
---------------------------------	---------------------------	--

Issue date	
Other information	

: 6/23/2025 : None.

Full text of hazard classes and H-statements		
H228	Flammable solid	
H290	May be corrosive to metals	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H320	Causes eye irritation	
H351	Suspected of causing cancer.	

Hazard Rating Health Flammability Physical

: 2 Moderate Hazard - Temporary or minor injury may occur

: 0 Minimal Hazard - Materials that will not burn

0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
 B - Safety glasses, Gloves

### Personal protection

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.