

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/7/2018 Revision date: 10/28/2025 Supersedes: 8/7/2018 Version: 1.0

#### **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Product name : Shine Up Furniture Polish

Product code : 155-3010

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Polishes, wax / cream (floor, furniture, shoes)

#### 1.4. Supplier's details

American Cleaning Solutions 39-30 Review Avenue Long Island City, NY, 11101 T (718) 392-8080

#### 1.5. Emergency phone number

Emergency number : INFOTRAC: 800-535-5053

## **SECTION 2 Hazard Identification**

## 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin sensitization, Category 1 H317 May cause an allergic skin reaction.

Full text of H statements : see section 16

#### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US)

Hazard statements (GHS US) : H317 - May cause an allergic skin reaction

Precautionary statements (GHS US) : P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

P302+P352 - If on skin: Wash with plenty of soap and water

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

10/28/2025 (Revision date) EN (English US) 1/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

## 2.5. Unknown acute toxicity

No additional information available

## **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	GHS US classification
White mineral oil (petroleum)	CAS-No.: 8042-47-5	20 – 30	Asp. Tox. 1, H304
(+)-limonene	CAS-No.: 5989-27-5	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	CAS-No.: 4719-04-4	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

## **SECTION 4 First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label). Wash

contaminated clothing before reuse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## 4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

## 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

symptoms

10/28/2025 (Revision date) EN (English US) 2/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

No additional information available

## 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6 Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public

waters.

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

See Heading 8. Exposure controls and personal protection.

## **SECTION 7 Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapor. Avoid breathing dust/mist/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse.

## 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces,

sparks, open flame and other ignition sources. No smoking. Keep container closed when not in

use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

10/28/2025 (Revision date) EN (English US) 3/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

#### White mineral oil (petroleum) (8042-47-5)

**USA - ACGIH - Occupational Exposure Limits** 

ACGIH OEL TWA 5 mg/m³ (Inhalable fraction)

#### 8.2. Appropiate engineering controls

No additional information available

#### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves/eye protection/face protection protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Wear appropriate mask

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke during use.

Relative vapor density at 20 °C

## **SECTION 9 Physical and chemical properties**

## 9.1. Basic physical and chemical properties

Physical state : Liquid
Color : white
Odor : lemon odor
Odor threshold : No data available

pH : 7-8

Relative density : 0.97

Solubility : Miscible with water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, kinematic : 212.5 mm²/s

: Same as water

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits : No data available Particle characteristics : No data available

## 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## **SECTION 10 Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11 Toxicological information**

## 11.1. Likely routes of exposure

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (innaiation)	Not classified
White mineral oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Readacross, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))
(+)-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)tr	iethanol (4719-04-4)
LD50 oral rat	763 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)trie	thanol (4719-04-4)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	0.371 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
ATE US (oral)	763 mg/kg body weight
ATE US (gases)	100 ppmV/4h
ATE US (vapors)	0.371 mg/l/4h
ATE US (dust, mist)	0.371 mg/l/4h
	Not classified pH: 7 – 8
White mineral oil (petroleum) (8042-47-5)	
рН	No data available in the literature
(+)-limonene (5989-27-5)	
рН	4 (5 %)
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)trie	thanol (4719-04-4)
рН	10.8 (78.5 %)
	Not classified pH: 7 – 8
White mineral oil (petroleum) (8042-47-5)	
рН	No data available in the literature
(+)-limonene (5989-27-5)	
рН	4 (5 %)
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)trie	thanol (4719-04-4)
рН	10.8 (78.5 %)
	May cause an allergic skin reaction.
3 ,	Not classified
<u> </u>	Not classified
(+)-limonene (5989-27-5)	
IARC group	3 - Not classifiable
.,,	Not classified
3 F	Not classified
,	Not classified
Aspiration hazard :	Not classified
Shine Up Furniture Polish	
Viscosity, kinematic	212.5 mm <sup>2</sup> /s
White mineral oil (petroleum) (8042-47-5)	
Viscosity, kinematic	16 mm²/s (40 °C)
(+)-limonene (5989-27-5)	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

## **SECTION 12 Ecological information**

## 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

` '		
White mineral oil (petroleum) (8042-47-5)		
LC50 - Fish [1]	100 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)	
(+)-limonene (5989-27-5)		
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)	
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)trie	ethanol (4719-04-4)	
LC50 - Fish [1]	16.07 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Static system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	11.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 algae	6.66 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)	

## 12.2. Persistence and degradability

Shine Up Furniture Polish		
Persistence and degradability	Not established.	
White mineral oil (petroleum) (8042-47-5)		
Persistence and degradability	Not readily biodegradable in water.	
(+)-limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O <sub>2</sub> /g substance	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)		
Persistence and degradability	Readily biodegradable in water.	

## 12.3. Bioaccumulative potential

Shine Up Furniture Polish	
Bioaccumulative potential	Not established.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

White mineral oil (petroleum) (8042-47-5)		
BCF - Other aquatic organisms [1]	1216 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	5.18 (Experimental value)	
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	
(+)-limonene (5989-27-5)		
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)		
Partition coefficient n-octanol/water (Log Pow)	-2.3 – -1.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 $^{\circ}$ C)	
Bioaccumulative potential	Not bioaccumulative.	

## 12.4. Mobility in soil

White mineral oil (petroleum) (8042-47-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.64 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	
(+)-limonene (5989-27-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	

## 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

Other information : Avoid release to the environment.

## **SECTION 13 Disposal considerations**

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Ecological information : Avoid release to the environment.

10/28/2025 (Revision date) EN (English US) 8/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 14 Transport information**

#### **14.1. UN number**

Not regulated for transport

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (TDG) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated

#### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

**TDG** 

Transport hazard class(es) (TDG) : Not regulated

**IMDG** 

Transport hazard class(es) (IMDG) : Not regulated

**IATA** 

Transport hazard class(es) (IATA) : Not regulated

## 14.4. Packing group

Packing group (DOT) : Not regulated Packing group (TDG) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated

#### 14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

**IMDG** 

Not regulated

**IATA** 

Not regulated

## **SECTION 15 Regulatory information**

#### 15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

10/28/2025 (Revision date) EN (English US) 9/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.	Listing	Commercial status	Flags
White mineral oil (petroleum)	8042-47-5	Present	Active	
(+)-limonene	5989-27-5	Present	Active	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	4719-04-4	Present	Active	

#### 15.2. International regulations

#### **CANADA**

## (+)-limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

#### 15.3. State regulations

No additional information available

## **SECTION 16 Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 10/28/2025 Issue date : 8/7/2018 Other information : None.

Full text of hazard classes and H-statements	
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H330	Fatal if inhaled

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient

temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

but below 200 F. (Classes II IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/28/2025 (Revision date) EN (English US) 10/10