

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 4/15/2015 Supersedes: 10/27/2025

## **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Product name : Econo-Pine Deodorant

Product code : 155-9228

## 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Deodorant

### 1.4. Supplier's details

American Cleaning Solutions 39-30 Review Avenue Long Island City, NY, 11101 T (718) 392-8080

## 1.5. Emergency phone number

Emergency number : INFOTRAC: 800-535-5053

## **SECTION 2 Hazard Identification**

## 2.1. Classification of the substance or mixture

#### **GHS US classification**

Not classified

#### 2.2. Label elements

#### **GHS US labeling**

No labeling applicable

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

## 2.5. Unknown acute toxicity

No additional information available

## **SECTION 3 Composition/information on ingredients**

## 3.1. Substances

Not applicable

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium Xylene Sulfonate	CAS-No.: 1300-72-7	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Nonylphenol Ethoxylate	CAS-No.: 127087-87-0	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4 First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## 4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms
Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Specific hazards arising from the chemical

No additional information available

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6 Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

4/15/2015 (Issue date) EN (English US) 2/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public

waters.

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

See Heading 8. Exposure controls and personal protection.

## **SECTION 7 Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapor.

## 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces,

sparks, open flame and other ignition sources. No smoking. Keep container closed when not in

use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropiate engineering controls

No additional information available

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves/eye protection/face protection protective gloves

## Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Wear appropriate mask

4/15/2015 (Issue date) EN (English US) 3/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9 Physical and chemical properties**

## 9.1. Basic physical and chemical properties

Physical state : Liquid Color : Green Odor : Pine

Odor threshold : No data available

pH : 9 – 10

Melting point: No data availableFreezing point: No data availableBoiling point:  $212 - 220 \,^{\circ}F$ Flash point: ≥  $200 \,^{\circ}F$ Flammability (solid, gas): Non flammable.Vapor pressure: No data availableRelative vapor density at 20  $\,^{\circ}C$ : Same as water

Relative density : 1

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, kinematic : No data available

Explosion limits : No data available

Particle characteristics : No data available

#### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## **SECTION 10 Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions. Not established.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

## SECTION 11 Toxicological information

OLOTION IT Toxicological information	
11.1. Likely routes of exposure	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Nonylphenol Ethoxylate (127087-87-0)	
LD50 oral rat	1890 mg/kg body weight (Rat, Male / female, Experimental value, Oral)
LD50 oral	657 mg/kg body weight (Rabbit, Male / female, Experimental value, Oral)
ATE US (oral)	1890 mg/kg body weight
Sodium Xylene Sulfonate (1300-72-7)	
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6.41 mg/l (Equivalent or similar to OECD 403, 232 minutes, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation :	Not classified pH: 9 – 10
Nonylphenol Ethoxylate (127087-87-0)	
pH	6.3 (1 %)
Sodium Xylene Sulfonate (1300-72-7)	
рН	No data available in the literature
Serious eye damage/irritation :	Not classified pH: 9 – 10
Nonylphenol Ethoxylate (127087-87-0)	
рН	6.3 (1 %)
Sodium Xylene Sulfonate (1300-72-7)	
рН	No data available in the literature
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
3 ,	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Sodium Xylene Sulfonate (1300-72-7)	
STOT-single exposure	May cause respiratory irritation.
·	Not classified
	Not classified
Sodium Xylene Sulfonate (1300-72-7)	
Viscosity, kinematic	Not applicable (solid)

4/15/2015 (Issue date) EN (English US) 5/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## **SECTION 12 Ecological information**

## 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Nonylphenol Ethoxylate (127087-87-0)		
LC50 - Fish [1]	11.6 mg/l (48 h, Oryzias latipes, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	14 mg/l (48 h, Daphnia magna, Static renewal, Fresh water, Experimental value)	
EC50 96h - Algae [1]	12 mg/l (Selenastrum capricornutum, Static system, Fresh water, Experimental value, Nominal concentration)	
Sodium Xylene Sulfonate (1300-72-7)		
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
EC50 96h - Algae [1]	≥ 230 mg/l (EPA OTS 797.1050, Selenastrum capricornutum, Static system, Fresh water, Experimental value)	

## 12.2. Persistence and degradability

Econo-Pine Deodorant		
Persistence and degradability Not established.		
Nonylphenol Ethoxylate (127087-87-0)		
Persistence and degradability  Not readily biodegradable in water, Biodegradable in water.		
Sodium Xylene Sulfonate (1300-72-7)		
Persistence and degradability	Readily biodegradable in water.	

## 12.3. Bioaccumulative potential

Econo-Pine Deodorant		
Bioaccumulative potential	Not established.	
Nonylphenol Ethoxylate (127087-87-0)		
BCF - Fish [1]	7.6 – 12.4 l/kg (6 week(s), Cyprinus carpio, Static system, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	5.67 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Low potential for bioaccumulation (molecular mass >=700 g/mol).	
Sodium Xylene Sulfonate (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Xylene Sulfonate (1300-72-7)	
Bioaccumulative potential	Not bioaccumulative.

## 12.4. Mobility in soil

Nonylphenol Ethoxylate (127087-87-0)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.631 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	No (test)data on mobility of the substance available. Low potential for adsorption in soil.	
Sodium Xylene Sulfonate (1300-72-7)		
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

## 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

Other information : Avoid release to the environment.

## **SECTION 13 Disposal considerations**

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Ecological information

: Avoid release to the environment.

## **SECTION 14 Transport information**

#### 14.1. UN number

Not regulated for transport

## 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated
Proper Shipping Name (TDG) : Not regulated
Proper Shipping Name (IMDG) : Not regulated
Proper Shipping Name (IATA) : Not regulated

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

4/15/2015 (Issue date) EN (English US) 7/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 14.4. Packing group

Packing group (DOT) : Not regulated Packing group (TDG) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated

## 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

DOT

Not regulated

**TDG** 

Not regulated

**IMDG** 

Not regulated

IATA

Not regulated

## **SECTION 15 Regulatory information**

## 15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

i		0 ,		,
Name	CAS-No.	Listing	Commercial status	Flags
Nonylphenol Ethoxylate	127087-87-0	Present	Active	XU
Sodium Xylene Sulfonate	1300-72-7	Present	Active	

## 15.2. International regulations

## CANADA

## Nonylphenol Ethoxylate (127087-87-0)

Listed on the Canadian DSL (Domestic Substances List)

## Sodium Xylene Sulfonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

#### 15.3. State regulations

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 16 Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 4/15/2015 Other information : None.

Full text of hazard	Full text of hazard classes and H-statements	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.