

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/15/2018 Revision date: 10/27/2025 Supersedes: 9/25/2025 Version: 1.0

### **SECTION 1 Identification**

### 1.1. Product identifier

Product form : Mixture

Product name : Rinse Free Mop On Stripper

Product code : 155-9379

### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Floor strip products

### 1.4. Supplier's details

American Cleaning Solutions 39-30 Review Avenue Long Island City, NY, 11101 T (718) 392-8080

### 1.5. Emergency phone number

Emergency number : INFOTRAC: 800-535-5053

### **SECTION 2 Hazard Identification**

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Acute toxicity (oral), Category 4 H302 Harmful if swallowed.

Acute toxicity (dermal), Category 4 H312 Harmful in contact with skin.

Skin corrosion/irritation, Category 1B H314 Causes severe skin burns and eye damage.

Full text of H statements : see section 16

### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H302+H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS US) : P260 - Do not breathe dusts or mists.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing

protection.

P301+P312 - If swallowed: Call a poison center/doctor if you feel unwell P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P302+P352 - If on skin: Wash with plenty of soap and water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a poison center/doctor

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Take off immediately all contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

### **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
butyl glycolether	CAS-No.: 111-76-2	20 – 30	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 2 (Inhalation:gas), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2-aminoethanol	CAS-No.: 141-43-5	5 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314

Full text of hazard classes and H-statements : see section 16

### **SECTION 4 First aid measures**

### 4.1. Description of necessary first-aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a poison center or doctor/physician.

First-aid measures after skin contact : Immediately call a poison center or doctor/physician. Specific measures (see supplier

information on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

### 4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and

ıa

: Based on available data, the classification criteria are not met. Harmful in contact with skin.

symptoms
Symptoms/effects

: Causes severe skin burns and eye damage.

Symptoms/effects after skin contact

: Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6 Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public

waters.

10/27/2025 (Revision date) EN (English US) 3/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

See Heading 8. Exposure controls and personal protection.

## **SECTION 7 Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapor. No open flames. No smoking. Do not breathe dust/mist/spray.

Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse. Hygiene measures Additional hazards when processed

Handle empty containers with care because residual vapors are flammable. Keep away from

heat/sparks/open flames}. - No smoking.

### 7.2. Conditions for safe storage, including incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces,

sparks, open flame and other ignition sources. No smoking. Keep container closed when not in

use. Keep in fireproof place.

Incompatible products : Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight. Heat sources.

## **SECTION 8 Exposure controls/personal protection**

## 8.1. Control parameters

butyl glycolether (111-76-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	2-Butoxyethanol (EGBE)	
ACGIH OEL TWA	20 ppm (2-Butoxyethanol (EGBE); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)	
Remark (ACGIH)	Eye & URT irr	
USA - OSHA - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
OSHA PEL TWA	240 mg/m³	
	50 ppm	
2-aminoethanol (141-43-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ethanolamine	
ACGIH OEL TWA	3 ppm	
ACGIH OEL STEL	6 ppm	
Remark (ACGIH)	Eye & skin irr	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-aminoethanol (141-43-5)	
USA - OSHA - Occupational Exposure Limits	
Local name	Ethanolamine
OSHA PEL TWA	6 mg/m³
	3 ppm

### 8.2. Appropiate engineering controls

No additional information available

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves/eye protection/face protection protective gloves

### Eye protection:

Chemical goggles or face shield

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

Wear appropriate mask

## Personal protective equipment symbol(s):





#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9 Physical and chemical properties**

## 9.1. Basic physical and chemical properties

Physical state : Liquid
Color : red
Odor : Butyl

Odor threshold : No data available pH : 11 - 11.5

Melting point : No data available Freezing point : No data available : No data available

Boiling point : 210 °F

Flash point : No data available
Flammability (solid, gas) : Combustible liquid.
Vapor pressure : No data available
Relative vapor density at 20 °C : Same as water

Relative density : 0.97

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Auto-ignition temperature : No data available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature : No data available Viscosity, kinematic : No data available Explosion limits : No data available Particle characteristics : No data available

## 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## **SECTION 10 Stability and reactivity**

### 10.1. Reactivity

Thermal decomposition generates: corrosive vapors.

### 10.2. Chemical stability

Stable under normal conditions. Combustible liquid. May form flammable/explosive vapor-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases. Thermal decomposition generates: corrosive vapors.

## **SECTION 11 Toxicological information**

### 11.1. Likely routes of exposure

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Not classified

Rinse Free Mop On Stripper		
ATE US (oral)	1942.888 mg/kg body weight	
ATE US (dermal)	1783.702 mg/kg body weight	
butyl glycolether (111-76-2)		
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
LC50 Inhalation - Rat	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)	
LC50 Inhalation - Rat [ppm]	450 – 486 ppm/4h 450-486,Rat	
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	435 mg/kg body weight	
ATE US (gases)	450 ppmV/4h	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
ATE US (vapors)	2.17 mg/l/4h
ATE US (dust, mist)	2.17 mg/l/4h
2-aminoethanol (141-43-5)	
LD50 oral rat	1515 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	2504 mg/kg body weight (Equivalent or similar to OECD 402, 24 week(s), Rabbit, Male, Experimental value, Dermal)
ATE US (oral)	1515 mg/kg body weight
ATE US (dermal)	2504 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns. pH: 11 – 11.5
2-aminoethanol (141-43-5)	
рН	12.1 (100 g/l)
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 11 – 11.5
2-aminoethanol (141-43-5)	
рН	12.1 (100 g/l)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified : Not classified
Carcinogenicity	. Not dassilled
butyl glycolether (111-76-2)	O. National Table
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified : Not classified
STOT-single exposure STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
butyl glycolether (111-76-2)	. Hat diagoniou
Viscosity, kinematic	3.659 mm²/s
2-aminoethanol (141-43-5)	I
Viscosity, kinematic	23.5 mm²/s (20 °C, EN ISO 3104: Capillary viscometer)
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met. Harmful in contact with skin.
symptoms	
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 12 Ecological information**

## 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

2-aminoethanol (141-43-5)	
LC50 - Fish [1]	349 mg/l (EU Method C.1, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	65 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	2.8 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)

## 12.2. Persistence and degradability

Rinse Free Mop On Stripper		
Persistence and degradability	Not established.	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water, Biodegradable in the soil, Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.2 g O <sub>2</sub> /g substance	
ThOD	2.305 g O₂/g substance	
BOD (% of ThOD)	0.31	
2-aminoethanol (141-43-5)		
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.34 g O <sub>2</sub> /g substance	
ThOD	2.49 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.32	

## 12.3. Bioaccumulative potential

Rinse Free Mop On Stripper			
Bioaccumulative potential	Not established.		
butyl glycolether (111-76-2)			
Partition coefficient n-octanol/water (Log Pow) 0.81 (Experimental value; BASF test; 25 °C)			
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).			
2-aminoethanol (141-43-5)			
BCF - Other aquatic organisms [1]	2.3 – 9.2 (BCFWIN, Calculated value)		
Partition coefficient n-octanol/water (Log Pow)	-2.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-aminoethanol (141-43-5)	
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)
2-aminoethanol (141-43-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.16 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

Other information : Avoid release to the environment.

## **SECTION 13 Disposal considerations**

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecological information : Avoid release to the environment.

## **SECTION 14 Transport information**

### **14.1. UN number**

Not regulated for transport

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (TDG) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated

### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

**IATA** 

Transport hazard class(es) (IATA) : Not regulated

10/27/2025 (Revision date) EN (English US) 9/11

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.4. Packing group

Packing group (DOT) : Not regulated Packing group (TDG) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

**IMDG** 

Not regulated

IATA

Not regulated

## **SECTION 15 Regulatory information**

## 15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
butyl glycolether	111-76-2	Present	Active	
2-aminoethanol	141-43-5	Present	Active	

### 15.2. International regulations

### CANADA

No additional information available

### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

### 15.3. State regulations

No additional information available

## **SECTION 16 Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 10/27/2025 Issue date : 8/15/2018

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : None.

Full text of h	Full text of hazard classes and H-statements		
H227	Combustible liquid		
H302	Harmful if swallowed		
H311	Toxic in contact with skin		
H312	Harmful in contact with skin		
H314	Causes severe skin burns and eye damage		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H330	Fatal if inhaled		
H331	Toxic if inhaled		
H332	Harmful if inhaled		

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.